

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope [redacted]@tetrattech.com]; Nonresponsive based on revised scope [redacted]@tetrattech.com]; Nonresponsive based on revised scope [redacted]@epa.gov]; Fortune, Warren[Fortune.Warren@epa.gov]; Nonresponsive based on revised scope [redacted]@epa.gov]; Wilson, Ashley[Wilson.Ashley@epa.gov]
From: Graybill, Eric[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=238869E695624C61A14E104B9732E043-GRAYBILL, ERIC]
Sent: Tue 7/6/2021 12:59:58 PM (UTC)
Subject: 49450 - Validated Electronic Data for Shiloh Church Road
49450 C0CL2 SSR.pdf
EQulS 1 49450 C0CL2 VAL.xls
EQulS 2 49450 C0CL2 VAL.xls
EQulS 3 49450 C0CL2 VAL.xls
EQulS 49450 C0CL2 VAL.xls
49450 C0CL2 DVR.pdf
49450 C0CL2 LTR.pdf

Hi Christine,

Attached to this message you will find electronic files containing the validation report and validated data for the Shiloh Church Road site, Case # 49450, SDG C0CL2.
The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Contact Eric Graybill by phone at 410-305-2665 or e-mail at Graybill.Eric@epa.gov if additional assistance is needed.

TO # 68HE0321F0053 TDF # 0621039

Thanks

Eric